

Kraso Projekt 7 Aqua

Revision date: 30/03/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Trade name:	Kraso Projekt 7 Aqua		
1.2. Relevant identified	uses of the substance or mixture and uses advised against		
Recommended uses:	Paint		
1.3. Details of the supp	lier of the safety data sheet		
Supplier			
Company:	Kraso SIA		
Address:	Vienības gatve 93		
Zip code:	LV-1058		
City:	Rīga		
Country:	LATVIA		
E-mail:	info@kraso.com		
Phone:	+371 67887192		
Members of the public: 111	(NHS 111 (Scotland: NHS 24)).		
Members of the public: 111 SECTION 2: Hazards 2.1. Classification of th	(NHS 111 (Scotland: NHS 24)). identification e substance or mixture		
Members of the public: 111 SECTION 2: Hazards 2.1. Classification of th	(NHS 111 (Scotland: NHS 24)). identification		
Members of the public: 111 SECTION 2: Hazards 2.1. Classification of th CLP-classification:	(NHS 111 (Scotland: NHS 24)). identification e substance or mixture The product shall not be classified as hazardous according to the classification and		
Members of the public: 111 SECTION 2: Hazards 2.1. Classification of th CLP-classification: 2.2. Label elements	(NHS 111 (Scotland: NHS 24)). identification e substance or mixture The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.		
Members of the public: 111 SECTION 2: Hazards 2.1. Classification of th CLP-classification: 2.2. Label elements Precautionary stateme	(NHS 111 (Scotland: NHS 24)). identification e substance or mixture The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.		
SECTION 2: Hazards	(NHS 111 (Scotland: NHS 24)). identification e substance or mixture The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures. nts Keep out of reach of children.		
Members of the public: 111 SECTION 2: Hazards 2.1. Classification of th CLP-classification: 2.2. Label elements Precautionary stateme P102 Supplemental informat	(NHS 111 (Scotland: NHS 24)). identification e substance or mixture The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures. nts Keep out of reach of children.		
Members of the public: 111 SECTION 2: Hazards 2.1. Classification of th CLP-classification: 2.2. Label elements Precautionary stateme P102 Supplemental informat EUH208	(NHS 111 (Scotland: NHS 24)). identification e substance or mixture The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures. nts Keep out of reach of children. ion Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one (3:1), 3-iodo-2-propynyl butylcarbamate. May produce		

The product does not contain any PBT or vPvB substances. Endocrine disrupting properties: None known.

Kraso Projekt 7 Aqua

Revision date: 30/03/2023

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
3-iodo-2-propynyl butylcarbamate	55406-53-6 259-627-5	< 0.25 %		Acute Tox. 4;H302 Skin Sens. 1;H317 Eye Dam. 1;H318 Acute Tox. 3;H331 STOT RE 1;H372 (Larynx.) Aquatic Acute 1;H400 Aquatic Chronic 1;H410 ATE LD50 (Acute toxicity - oral): 1056 mg/kg bw ATE (dust/mist) (Acute toxicity - inhalation): 0.67 mg/l M (acute): 10
				M (chronic): 1 Acute Tox. 4;H302 Skin Irrit. 2;H315
1,2-benzisothiazol- 3(2H)-one	2634-33-5 220-120-9 01-2120761540-60	< 0.05 %		Skin Sens. 1;H317 Eye Dam. 1;H318 Acute Tox. 2;H330 Aquatic Acute 1;H400 Aquatic Chronic 2;H411
				C ≥ 0.05%: Skin Sens. 1; H317 ATE (Acute toxicity - oral): 597 mg/kg bw M (acute): 1
reaction mass of 5-	55065 94 0			Acute Tox. 3;H301 Acute Tox. 2;H310 Skin Corr. 1B;H314 Skin Sens. 1A;H317 Eye Dam. 1;H318 Acute Tox. 2;H330 Aquatic Acute 1;H400 Aquatic Chronic 1;H410
chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	55965-84-9 611-341-5 01-2120764691-48	< 0.0015 %		$\begin{array}{l} EUH071 \\ C \geq 0.0015\%: Skin Sens. 1A; H317 \\ C \geq 0.6\%: Eye Dam. 1; H318 \\ C \geq 0.6\%: Skin Corr. 1C; H314 \\ 0.06\% \leq C < 0.6\%: Eye Irrit. 2; H319 \\ 0.06\% \leq C < 0.6\%: Skin Irrit. 2; H319 \\ ATE (dustfmist) (Acute toxicity - \\ inhalation): 0.31 mg/I \\ M (acute): 100 \\ M (chronic): 100 \\ \end{array}$

Please see section 16 for the full text of H- / EUH-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:	Remove person to fresh air and keep comfortable for breathing.
Ingestion:	Contact physician if larger quantity has been consumed. Do not induce vomiting.
Skin contact:	Wash the skin with water.
Eye contact:	Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice.
General:	Seek medical advice in case of persistent discomfort.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion may cause discomfort. Prolonged skin contact may cause redness and irritation. The product contains a small amount of sensitising substance. May cause eye irritation.

Kraso Projekt 7 Aqua

Revision date: 30/03/2023

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:	The product is not directly flammable. Choose extinguishing agents based on the surrounding fire.
Unsuitable extinguishing media:	Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released. Carbon monoxide and carbon dioxide.

5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Containers close to fire should be removed or cooled with water. Prevent discharges into the sewage system, watercourses or ground.

Other Information: Use a respirator and other protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear gloves. Wear safety goggles if there is a risk of eye splash.

6.2. Environmental precautions

Prevent discharges into the sewage system, watercourses or ground.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent, non-combustible material and transfer to suitable waste containers.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Store frost-free. Not to be stored in direct sunlight.

7.3. Specific end use(s)

No special uses in addition to identified uses in 1.2.

SECTION 8: Exposure controls/personal protection

Kraso Projekt 7 Aqua

Revision date: 30/03/2023

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

8.2. Exposure controls

Personal protective equipment, Wear safety goggles if there is a risk of eye splash. **eye/face protection:**

Personal protective equipment, For prolonged or repeated skin contact use suitable protective gloves. hand protection:

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit		
State	Viscous liquid.		
Colour	According to product specification		
Odour	Weak		
Solubility	Solubility in water: Soluble		
Parameter	Value/unit	Remarks	
Odour threshold	No data		
Melting point	~ 0	Water	
Freezing point	~ 0	Water	
Initial boiling point and boiling range	~ 100	Water	
Flammability (solid, gas)		Non-flammable	
Flammability limits	No data		
Explosion limits	No data		
Flash Point		Not relevant	
Auto-ignition temperature		Not relevant	
Decomposition temperature	No data		
pH (solution for use)	8 - 9		
pH (concentrate)		Not applicable.	
Kinematic viscosity	No data		
Viscosity	No data		
Partition coefficient n-octonol/water	No data		
Vapour pressure	No data		
Density	1000 - 1300 kg/m³		
Relative density	No data		
Vapour density	No data		
Relative density (sat. air)	No data		
Particle characteristics	No data		

9.2. Other information

Parameter	Value/unit	Remarks

SECTION 10: Stability and reactivity

10.1. Reactivity

No known data.

Kraso Projekt 7 Aqua

Revision date: 30/03/2023

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

Store cold, but frost-free.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral:	Based on existing data, the classification criteria are deemed not to have been met. Ingestion may cause discomfort.
Acute toxicity - dermal:	Based on existing data, the classification criteria are deemed not to have been met.
Acute toxicity - inhalation:	Based on existing data, the classification criteria are deemed not to have been met.
Skin corrosion/irritation:	Based on existing data, the classification criteria are deemed not to have been met. Degreases and dries the skin. Repeated exposure may cause skin dryness or cracking.
Serious eye damage/eye irritation:	Based on existing data, the classification criteria are deemed not to have been met. Temporary irritation.
Respiratory sensitisation or skin sensitisation:	Based on existing data, the classification criteria are deemed not to have been met. The product contains small amounts of 1,2-benzisothiazol-3(2H)-one, reaction mass of 5- chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 3-iodo-2- propynyl butylcarbamate. Persons with a known allergy may exhibit an allergic response to the product.
Germ cell mutagenicity:	Based on existing data, the classification criteria are deemed not to have been met.
Carcinogenic properties:	Based on existing data, the classification criteria are deemed not to have been met.
Reproductive toxicity:	Based on existing data, the classification criteria are deemed not to have been met.
Single STOT exposure:	Based on existing data, the classification criteria are deemed not to have been met.
Repeated STOT exposure:	Based on existing data, the classification criteria are deemed not to have been met.
Aspiration hazard:	Based on existing data, the classification criteria are deemed not to have been met.
11.2. Information on other h	azards
Endocrine disrupting properties:	Constituents have no endocrine-disrupting properties with respect to non-target organisms as they do not meet the criteria in Section B of Regulation (EU) 2017/2100.

Kraso Projekt 7 Aqua

Revision date: 30/03/2023

SECTION 12: Ecological information

12.1. Toxicity

Based on existing data, the classification criteria are deemed not to have been met.

12.2. Persistence and degradability

No data is documented.

12.3. Bioaccumulative potential

No data is documented.

12.4. Mobility in soil

No data is documented.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

Constituents have no endocrine-disrupting properties with respect to non-target organisms as they do not meet the criteria in Section B of Regulation (EU) 2017/2100.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local wasteremoval scheme.

Category of waste:

EWC code: Depends on line of business and use, for instance 08 01 12 waste paint and varnish other than those mentioned in 08 01 11 15 01 02 plastic packaging

SECTION 14: Transport information

14.1. UN number or ID number: 14.2. UN proper shipping name:	Not applicable. Not applicable.	14.4. Packing group: 14.5. Environmental hazards:	Not applicable. Not applicable.
14.3. Transport hazard class(es):	Not applicable.		

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

 Other Information:
 The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Kraso Projekt 7 Aqua

Revision date: 30/03/2023

15.2. Chemical Safety Assessment		
Other Information:	Chemical safety assessment has not been performed.	
SECTION 16: Other information		
Other Information:	This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK REACH etc. (EU Exit) as subsequently changed.	
Vendor notes:	Changes have been made in sections: -	
List of relevant H-statemen	nts	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H330	Fatal if inhaled.	
H331	Toxic if inhaled.	
H372	Causes damage to organs through prolonged or repeated exposure. (Larynx.)	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
List of relevant EUH-statements		
EUH071	Corrosive to the respiratory tract.	
EUH208	Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3- one and 2-methyl-2H-isothiazol-3-one (3:1), 3-iodo-2-propynyl butylcarbamate. May produce an allergic reaction.	
Country:	GB	